國立中山大學

NATIONAL SUN YAT-SEN UNIVERSITY

線性代數 (二)

MATH 104 / GEAI 1209: Linear Algebra II

期末考 June 6, 2022 Final Exam

姓名 Name :

學號 Student ID # : _____

Lecturer: Jephian Lin 林晉宏

Contents: cover page,

6 pages of questions, score page at the end

To be answered: on the test paper

Duration: 110 minutes

Total points: 20 points + 7 extra points

Do not open this packet until instructed to do so.

Instructions:

- Enter your Name and Student ID # before you start.
- Using the calculator is not allowed (and not necessary) for this exam.
- Any work necessary to arrive at an answer must be shown on the examination paper. Marks will not be given for final answers that are not supported by appropriate work.
- Clearly indicate your final answer to each question either by **underlining** it or circling it. If multiple answers are shown then no marks will be awarded.
- 可用中文或英文作答

1. Let A be a 3×4 matrix. Suppose $\alpha = \{\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3, \mathbf{v}_4\}$ and $\beta = \{\mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3\}$ are orthogonal bases of \mathbb{R}^4 and \mathbb{R}^3 , respectively, such that

$$[f_A]_{\alpha}^{\beta} = \begin{bmatrix} 4 & 0 & 0 & 0 \\ 0 & 3 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix},$$

where $f_A : \mathbb{R}^4 \to \mathbb{R}^3$ is defined by $f_A(\mathbf{v}) = A\mathbf{v}$ for all $\mathbf{v} \in \mathbb{R}^4$. Answer the following questions in terms of elements in α or in β .

(a) [1pt] Find $f(10\mathbf{v}_1 + 20\mathbf{v}_2 + 30\mathbf{v}_3)$.

(b) [1pt] Find a vector \mathbf{v} such that $f(\mathbf{v}) = 20\mathbf{u}_1 + 60\mathbf{u}_2$.

- (c) [1pt] Find an element in ker(A).
- (d) [1pt] Find an element in Col(A).
- (e) [1pt] Find spec($A^{\top}A$).

2. Let

$$A = \begin{bmatrix} 1 & 1 & 1 & 1 \\ 1 & 0 & 2 & 2 \\ 1 & 2 & -1 & -1 \\ 1 & 2 & -1 & -1 \end{bmatrix} \text{ and } B = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & -1 & 1 & 1 \\ 0 & 1 & -2 & -2 \\ 0 & 1 & -2 & -2 \end{bmatrix}.$$

(a) [1pt] Find an invertible matrix Q such that $Q^{\top}AQ = B$.

(b) [2pt] Find the inertia $(n_+(A), n_-(A), n_0(A))$ of A.

3. [2pt] Let

$$M = \begin{bmatrix} 1 & 100 & 200 \\ 0 & 0 & 1 \\ 0 & -12 & 7 \end{bmatrix}.$$

Find an orthogonal matrix U such that $U^{\top}MU$ is an upper triangular matrix.

4. Let

$$A = \begin{bmatrix} 1 & 1 & 2 \\ 1 & 1 & 2 \\ 2 & 2 & 4 \end{bmatrix}.$$

(a) [3pt] Find an orthogonal matrix Q and a diagonal matrix D such that $Q^{\top}AQ = D.$

- (b) [2pt] Find q distinct values μ_1, \ldots, μ_q and q projection matrices P_1, \ldots, P_q such that

 - $A = \sum_{j=1}^{q} \mu_j P_j$, $P_j^2 = P_j$ for any j,
 - $P_i P_j = O$ for any $i \neq j$, and
 - $\bullet \sum_{j=1}^q P_j = I.$

5. [5pt] 數學作文:請寫一篇短文來向沒修過線性代數的朋友介紹什麼是 主成份分析 (principal component analysis)。

請說明主成份的直觀意義、並描述主成份分析的功能;有必要的話可以加上一些圖來輔助說明。請解釋主成份分析的步驟,以及每一步其用意爲何。格式沒有限制,篇輻大約半面到一面。

(If Chinese is not your native language, you may use English or the language that you prefer.)

6. [extra 5pt] Let $x, y, z \in \mathbb{R}$ such that $x^2 + y^2 + z^2 = 1$. Find the maximum value of 2xy + 2yz.

Hint: Consider the matrix

$$A = \begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}.$$

7. [extra 2pt] Let

$$A = \begin{bmatrix} 4 & 0 & 0 & -1 & -1 & -1 & -1 \\ 0 & 4 & 0 & -1 & -1 & -1 & -1 \\ 0 & 0 & 4 & -1 & -1 & -1 & -1 \\ -1 & -1 & -1 & 3 & 0 & 0 & 0 \\ -1 & -1 & -1 & 0 & 3 & 0 & 0 \\ -1 & -1 & -1 & 0 & 0 & 3 & 0 \\ -1 & -1 & -1 & 0 & 0 & 0 & 3 \end{bmatrix}.$$

Find $\operatorname{spec}(A)$.

Page	Points	Score
1	5	
2	5	
3	5	
4	5	
5	5	
6	2	
Total	20 (+7)	