國立中山大學

## NATIONAL SUN YAT-SEN UNIVERSITY

## 線性代數 (一)

## MATH 103A / GEAI 1215A: Linear Algebra I

期末考

December 25, 2024

**Final Exam** 

姓名 Name : \_\_\_\_\_

學號 Student ID # : \_\_\_\_\_

Lecturer: Jephian Lin 林晉宏

Contents: cover page,

6 pages of questions, score page at the end

To be answered: on the test paper

Duration: 110 minutes

Total points: 20 points + 7 extra points

Do not open this packet until instructed to do so.

## **Instructions:**

- Enter your Name and Student ID # before you start.
- Using the calculator is not allowed (and not necessary) for this exam.
- Any work necessary to arrive at an answer must be shown on the examination paper. Marks will not be given for final answers that are not supported by appropriate work.
- Clearly indicate your final answer to each question either by **underlining** it or circling it. If multiple answers are shown then no marks will be awarded.
- Please answer the problems in English.

1. Let

$$A = \begin{bmatrix} 1 & 1 & 1 & 1 & 1 \\ 2 & 2 & 2 & 2 & 2 \\ 3 & 3 & 3 & 4 & 4 \end{bmatrix} \text{ and } R = \begin{bmatrix} 1 & 1 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}.$$

It is known that R is an echelon form of A.

(a) [1pt] Find at least two elements in ker(A).

(b) [1pt] Find at least two elements **not** in ker(A).

(c) [1pt] Find a basis of Row(A).

(d) [1pt] Find a basis of ker(A).

(e) [1pt] Find a basis of Col(A).

2. Let  $\mathcal{P}_2 = \{a_0 + a_1x + a_2x^2 : a_0, a_1, a_2 \in \mathbb{R}\}$  be the vector space of polynomial of degree at most 2. Let

$$B_1 = \langle 1, x, x^2 \rangle, B_2 = \langle 1, (x+1), (x+1)^2 \rangle, B_3 = \langle f_1(x), f_2(x), f_3(x) \rangle,$$

where

$$f_1(x) = \frac{(x-3)(x-5)}{(1-3)(1-5)}, f_2(x) = \frac{(x-1)(x-5)}{(3-1)(3-5)}, f_3(x) = \frac{(x-1)(x-3)}{(5-1)(5-3)}.$$

It is known that each of  $B_1$ ,  $B_2$ ,  $B_3$  is a basis of  $\mathcal{P}_2$ . Let

$$p(x) = 1 + 2x + 3x^2 \text{ and } \mathbf{u} = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}.$$

- (a) [1pt] Find  $Rep_{B_1}(p(x))$ .
- (b) [1pt] Find  $Rep_{B_2}(p(x))$ .

(c) [1pt] Find  $Rep_{B_3}(p(x))$ .

- (d) [1pt] Find a polynomial q(x) such that  $Rep_{B_2}(q(x)) = \mathbf{u}$ .
- (e) [1pt] Find a polynomial q(x) such that  $Rep_{B_3}(q(x)) = \mathbf{u}$ .

3. Let  $\mathcal{M}_{2\times 2}$  be the vector space of all  $2\times 2$  real matrices. Let

$$V = \left\{ \begin{bmatrix} a & b \\ c & d \end{bmatrix} : \begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix} \begin{bmatrix} a & b \\ c & d \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix} \right\}$$

be a subspace of  $\mathcal{M}_{2\times 2}$ .

(a) [1pt] Find a basis of  $\mathcal{M}_{2\times 2}$ .

(b) [1pt] Find at least two elements in V.

(c) [3pt] Find a basis of V. Hint: Write down the equations for a, b, c, d.

4. [5pt] Mathematical essay: Write a few paragraphs to introduce dimension.

Your score will be based on the following criteria.

- The definition is clear.
- Some sentences are added to explain the definition.
- Examples or pictures are included to help understanding.
- The sentences are complete.

5. Let  $B = \langle \mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3, \mathbf{u}_4 \rangle$  be a basis of a vector space V. Suppose  $\mathbf{p} = \mathbf{u}_1 + \mathbf{u}_4$ . Let

$$B_1 = \langle \mathbf{u}_1, \mathbf{u}_2, \mathbf{p}, \mathbf{u}_4 \rangle$$
, and  $B_2 = \langle \mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3, \mathbf{p} \rangle$ .

(a) [extra 1pt] Explain why  $B_1$  is not a basis of V.

(b) [extra 2pt] Show that  $B_2$  is independent.

(c) [extra 2pt] Show that  $span(B_2) = V$ .

6. [extra 2pt] Let

$$V = \{(x+1)(a+bx+cx^2) : a, b, c \in \mathbb{R}\}.$$

Find a basis of V.

Page	Points	Score
1	5	
2	5	
3	5	
4	5	
5	5	
6	2	
Total	20 (+7)	