

國立中山大學

NATIONAL SUN YAT-SEN UNIVERSITY

線性代數 (一)

MATH 103A / GEAI 1215A: Linear Algebra I

第二次期中考

November 20, 2024

Midterm 2

姓名 Name : solution

學號 Student ID # : \_\_\_\_\_

Lecturer: Jephian Lin 林晉宏
Contents: cover page, 5 pages of questions, score page at the end
To be answered: on the test paper
Duration: 110 minutes
Total points: 20 points + 2 extra points

**Do not open this packet until instructed to do so.**

Instructions:

- Enter your **Name** and **Student ID #** before you start.
- Using the calculator is not allowed (and not necessary) for this exam.
- Any work necessary to arrive at an answer must be shown on the examination paper. Marks will not be given for final answers that are not supported by appropriate work.
- Clearly indicate your final answer to each question either by **underlining it or circling it**. If multiple answers are shown then no marks will be awarded.
- Please answer the problems in English.

1. Let

$$V = \left\{ \begin{bmatrix} x \\ y \end{bmatrix} : xy < 0 \right\}.$$

(a) [1pt] List any four elements in  $V$ .

$$\begin{bmatrix} 1 \\ -1 \end{bmatrix} \quad \begin{bmatrix} -1 \\ 1 \end{bmatrix} \quad \begin{bmatrix} -2 \\ 1 \end{bmatrix} \quad \begin{bmatrix} 1 \\ -2 \end{bmatrix}$$

(b) [1pt] Is  $V$  closed under addition? Provide your reasons.

No,  $\begin{bmatrix} 1 \\ -1 \end{bmatrix}, \begin{bmatrix} -1 \\ 1 \end{bmatrix} \in V$  but  $\begin{bmatrix} 1 \\ -1 \end{bmatrix} + \begin{bmatrix} -1 \\ 1 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix} \notin V$ .

(c) [1pt] Is  $V$  closed under scalar multiplication? Provide your reasons.

No,  $\begin{bmatrix} 1 \\ -1 \end{bmatrix} \in V$  but  $0 \cdot \begin{bmatrix} 1 \\ -1 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix} \notin V$ .

(d) [1pt] Does  $V$  contain a zero vector? If yes, what is the zero vector in  $V$ ?

No,  $\begin{bmatrix} 0 \\ 0 \end{bmatrix} \notin V$ .

(e) [1pt] Find the additive inverse of  $\begin{bmatrix} 2 \\ -3 \end{bmatrix}$ .

$$\underline{\underline{\begin{bmatrix} -2 \\ 3 \end{bmatrix}}}$$

2. Let  $S = \{\mathbf{u}_1, \mathbf{u}_2\}$  with

$$\mathbf{u}_1 = \begin{bmatrix} 1 \\ 0 \\ 0 \\ -1 \end{bmatrix} \quad \text{and} \quad \mathbf{u}_2 = \begin{bmatrix} 0 \\ 1 \\ -1 \\ 0 \end{bmatrix}.$$

(a) [1pt] Find an element in  $[S]$ .

$$\underline{\begin{bmatrix} 1 \\ 0 \\ 0 \\ -1 \end{bmatrix}}$$

(b) [1pt] Find an element not in  $[S]$ .

All element  $\begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{bmatrix}$  in  $[S]$  has  $x_4 = -x_1$ ,  
 so  $\underline{\begin{bmatrix} 1 \\ 1 \\ 1 \\ 1 \end{bmatrix}} \notin [S]$ .

(c) [1pt] Prove, by definition, that  $[S]$  is closed under addition.

By definition,  $[S] = \{a_1\vec{u}_1 + a_2\vec{u}_2 : a_1, a_2 \in \mathbb{R}\}$ .

Let  $a_1\vec{u}_1 + a_2\vec{u}_2$  and  $b_1\vec{u}_1 + b_2\vec{u}_2$  be in  $[S]$ .

Then their sum is  $(a_1 + b_1)\vec{u}_1 + (a_2 + b_2)\vec{u}_2 \in [S]$ .

(d) [1pt] Prove, by definition, that  $[S]$  is closed scalar multiplication.

Let  $a_1\vec{u}_1 + a_2\vec{u}_2 \in [S]$  and  $k \in \mathbb{R}$ .

Then  $k(a_1\vec{u}_1 + a_2\vec{u}_2) = (ka_1)\vec{u}_1 + (ka_2)\vec{u}_2 \in [S]$ .

(e) [1pt] Is  $S$  an independent set? Provide your reasons.

Yes. Suppose  $c_1\vec{u}_1 + c_2\vec{u}_2 = c_1 \begin{bmatrix} 1 \\ 0 \\ 0 \\ -1 \end{bmatrix} + c_2 \begin{bmatrix} 0 \\ 1 \\ -1 \\ 0 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$ .

Then  $\begin{cases} c_1 + 0c_2 = 0 \\ 0 + -c_2 = 0 \end{cases} \Rightarrow c_1 = c_2 = 0$ .

3. Let  $S = \{\mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3, \mathbf{u}_4, \mathbf{u}_5, \mathbf{u}_6\}$  be the columns of

$$\begin{bmatrix} 1 & 1 & 2 & 1 & 1 & 2 \\ 1 & 2 & 4 & 1 & 1 & 2 \\ 1 & 3 & 6 & 2 & 1 & 3 \\ 1 & 4 & 8 & 1 & 2 & 3 \end{bmatrix}$$

(a) [2pt] Find two different nontrivial linear relations in  $S$ .

see ver A.

(b) [3pt] Find a subset  $T \subset S$  such that  $T$  is linearly independent and  $[T] = [S]$ . Provide your reasons.

See ver A.

4. [5pt] Mathematical essay: Write a few paragraphs to introduce *linear independence*.

Your score will be based on the following criteria.

- The definition is clear.
- Some sentences are added to explain the definition.
- Examples or pictures are included to help understanding.
- The sentences are complete.

5. [extra 2pt] Let  $S = \{\mathbf{x}, \mathbf{y}, \mathbf{z}\}$  be a set of vectors. Suppose  $S$  is linearly independent. Show that  $T = \{\mathbf{x}, \mathbf{x} + \mathbf{y}, \mathbf{x} + \mathbf{y} + \mathbf{z}\}$  is also linearly independent.

See ver. A.

[END]

Page	Points	Score
1	5	
2	5	
3	5	
4	5	
5	2	
Total	20 (+2)	